

# INDEX MAPS.

## T. 27N, R. 7 E. 2<sup>nd</sup> Mer.

*Meanders 274, 276*

	260	261	261-260	260	259	259
261	6	5	4	3	2	1 259
263	7	8	9	10	11	12 258
263	18	17	16	15	14	13 258
263	19	20	21	22	23	24 258
262	30	29	28	27	26	25 257
262	31	32	33	34	35	36 257

## T. 28N, R. 7 E. 2<sup>nd</sup> Mer.

*Meanders 301, 302*

	299	299	298	298	298	297
301	6	5	4	3	2	1 297
300	7	8	9	10	11	12 297
300	18	17	16	15	14	13 296
300	19	20	21	22	23	24 296
300	30	29	28	27	26	25 296
299	31	32	33	34	35	36 295

The figures on the lines refer to the page.

Township Lines.

Ch. M.

South Boundary. Var. 6.15. E.

Bearings at corner of T. 26 & 27 N, R. 7 & 8 E.

a Willow 10 in. dia. bears N 15 W 16 Ws. dist. 8

a Do 7 " " " S 69 E 14 " "

West on the S. Boundary of Sec. 30

29.12 a Poplar 24 in. dia.

40.00 set of sec. part from which

a Elm 18 in. dia. bears S 89 E 14 Ws. dist. 8

a Beech 14 " " " N 84 W 24 " "

62.20 an Elm 18 " "

80.00 set part cor. of sec. 35 & 36 from which

a Poplar 36 in. dia. bears N 6 W 10 Ws. dist. 8

a Beech 8 " " " S 27 W 9 " "

Over good farming land. Timber Beech, Ash &c.  
Wgs. Spice

West on the S. Boundary of Sec. 35

22.50 a Beech 16 in. dia.

40.00 set of sec. part from which

a Beech 8 in. dia. bears N 58 E 14 Ws. dist. 8

a Poplar 8 " " " S 89 W 32 " "

78.10 a Brook 10 Ws. wide corner S.

80.00 set part cor. of sec. 34 & 35 from which

a Hickory 18 in. dia. bears S 47 W 7 Ws. dist. 8

an Oak 8 " " " S 62 E 29 " "

Land &c same as last described.

West on the S. Boundary of Sec. 34

8.85 Intersect Reserve line run at a Var. of 5.15 E

set part from which

a Beech 14 in. dia. bears N 8 W 14 Ws. dist. 8

a Do 12 " " " S 31 E 7 " "

April 5. 1820 John W. Donald

Deputy Surveyor.



*T. 27 N., R. 7 E. 2. Mer. Ind. 4*  
*Ch. 10.*

West on the S. Boundary of Sec. 34

Commenced on eastern Boundary of Great Reserve

15.37 a B. Oak 40 in. dia.

31.15 set of sec. part from which

a Beech 9 in. dia. bears S 78 E 24 1/2 M. dist. 2 1/2

a Do 22 " " " S 47 W 22 " "

46.55 a Stream 10 M. wide course S.

52.35 a Sugar 18 in. dia. An excellent Sugar camp

71.15 set part cor. of sec. 33 & 34 from which

a Sugar 18 in. dia. bears S 47 W 16 M. dist. 2 1/2

a Beech 20 " " " N 62 E 33 " "

Land rolling & T. rate. Timber Beech, Sugar,  
Oak, Ash, Elm & C. Ulp. Spice & C.

West on the S. Boundary of Sec. 33

29.58 a Red Oak 20 in. dia.

40.00 set of sec. part from which

a Beech 10 in. dia. bears N 82 E 4 1/2 M. dist. 2 1/2

a N. Oak 22 " " " S 22 W 10 " "

62.15 a Beech 40 " "

74.50 Road from Marion to Wabash, N

80.00 set part cor. of sec. 32 & 33 from which

an Ash 18 in. dia. bears N 20 E 10 M. dist. 2 1/2

a Beech 14 " " " S 1 E 9 " "

Rolling good land. Timber Beech, Sugar,  
Ash, Oak, Elm. Thick Ulp. of Sugar & Spice

West on the S. Boundary of Sec. 32

21.41 a Sugar 18 in. dia.

40.00 set of sec. part from which

a Beech 24 in. dia. bears N 63 E 30 M. dist. 2 1/2

a Do 14 " " " S 44 W 31 " "

67.05 an Elm 30 " "

80.00 set part cor. of sec. 31 & 32 from which

a Beech 10 in. dia. bears N 54 E 19 M. dist. 2 1/2

a Buckeye 14 " " " N 19 W 20 " "

T. 27 N., R. 7 E. 2. Mer. Ind. a

Ch. 2k.

Land rolling & good. Timber Beech, Sugar, Elm,  
Oak, Ash, Buckeye &c. Upr. Spice &c.

West on the S. Boundary of Sec. 31

13.75 a Stream 4 Mts. wide course NW

14.54 a Do 30 " " " NE

34.50 a Beech 40 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 81 E 23 Mts. dist. &

an Elm 10 " " " N 56 W 25 " "

49.00 a Stream 8 Mts. wide course N.

53.48 a Sugar 22 in. dia.

69.95 set post cor. of T. 26 & 27 N., R. 6 & 7 E. from which

a Beech 16 in. dia. bears N 65 W 16 Mts. dist. &

a Do 24 " " " N 62 E 20 " "

Land rolling at rate. Timber Beech, Sugar,  
Elm, Ash, Walnut, Oak &c. Upr. Spice &c.

May 18. 1839 Chauncy Carter

Deputy Surveyor.

East Boundary. Var. 6.30. E.

North on the E. Boundary of Sec. 36

40.00 set of sec. post from which

a Beech 13 in. dia. bears N 28 W 17 Mts. dist. &

a Do 15 " " " S 42 E 20 " "

80.00 set post cor. of sec. 25 & 36 from which

a Beech 18 in. dia. bears N 23 E 17 Mts. dist. &

an Ironwood 4 " " " S 46 E 15 " "

Rich land: Timber Beech, Ash, Walnut, Poplar,  
Sugar &c.

North on the E. Boundary of Sec. 25

0.00 an Ash 30 in. dia.

8.00 a Branch 20 Mts. wide course E.

40.00 set of sec. post from which

a Lynn 30 in. dia. bears S 62 E 4 Mts. dist. &

*T. 27 N., R. 7 E. 2. Mer. Ind. a*  
*Ch. Lk.*

a Beech 7 in. dia. bears N 63° W 6 W. dist.  
 80.00 set part cor. of sec. 24 & 25 from which  
 a Beech 12 in. dia. bears N 24° E 13 W. dist. 8  
 a Do 11 " " " S 34° W 36 " "  
 Land &c. same as last described.

*North on the E. Boundary of Sec. 24*

4.36 a Beech 20 in. dia.  
 36.50 a Brook 25 W. wide course NE  
 40.00 set gr. sec. part from which  
 an Ash 20 in. dia. bears N 28° W 10 W. dist. 8  
 a Beech 10 " " " S 13° W 14 " "  
 80.00 set part cor. of sec. 13 & 24 from which  
 an Ash 16 in. dia. bears N 20° E 39 W. dist. 8  
 a Beech 13 " " " N 75° E 32 " "  
 Land &c. same as last described.

*North on the E. Boundary of Sec. 13*

40.00 set gr. sec. part from which  
 a Beech 18 in. dia. bears N 79° W 22 W. dist. 8  
 a Do 12 " " " S 13° W 13 " "  
 80.00 set part cor. of sec. 12 & 13 from which  
 a Buckeye 15 in. dia. bears N 29° E 30 W. dist. 8  
 an Ash 14 " " " S 51° E 30 " "  
 Land &c. same as last described.

*North on the E. Boundary of Sec. 12*

3.00 an Ash 18 in. dia.  
 21.00 a Brook 30 W. wide course NE  
 40.00 set gr. sec. part from which  
 a Beech 8 in. dia. bears N 23° W 6 W. dist. 8  
 an Oak 20 " " " S 22° E 37 " "  
 48.00 set part on left bank of Salamanca R. from which  
 an Oak 15 in. dia. bears S 75° E 5 W. dist. 8  
 a Do 18 " " " S 56° W 26 " "  
 63.00 set part on right bank of River from which

*T. 27 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>*  
*Chr. Lk.*

a W. Oak 20 in. dia. bears S 38 E 8 1/2 M., dist. 8  
 a Do 8 " " " N 6 E 19 " "  
 80.00 set part cor. of sec. 14 & 12 from which  
 a Beech 20 in. dia. bears N 68 E 35 1/2 M., dist. 8  
 a Do 14 " " " S 22 W 27 " "  
 Good hilly. Timber Beech, Oak, Ash &c.

*North on the E. Boundary of Sec. 1*

0.14 a Poplar 48 in. dia.  
 14.00 a Brook 15 M. wide course SW  
 40.00 set gr. sec. part from which  
 a Beech 18 in. dia. bears N 28 W 29 1/2 M., dist. 8  
 a Do 18 " " " S 27 E 25 " "  
 80.00 set part cor. of T. 27 N. 28 N., R. 7 E 28 E. from which  
 a Walnut 24 in. dia. bears N 27 E 22 1/2 M., dist. 8  
 a Beech 10 " " " S 49 W 13 " "  
 Land 1<sup>st</sup> rate. Timber Beech, Ash, Sugar, Walnut. Upr. Spice

*North Boundary. Var. E. 15. E.*

*West on the S. Boundary of Sec. 30, T. 28 N., R. 7 E*

12.77 an Ash 44 in. dia.  
 40.00 set gr. sec. part from which  
 a Buckeye 6 in. dia. bears N 53 E 17 1/2 M., dist. 8  
 a Sugar 30 " " " S 54 W 45 " "  
 80.00 set part cor. of sec. 35 & 30 from which  
 a Hickory 18 in. dia. bears N 82 E 8 1/2 M., dist. 8  
 an Ash 8 " " " S 28 W 15 " "  
 Rich land. Timber Walnut, Oak, Ash, Sugar &c.

*West on the S. Boundary of Sec. 35, T. 28 N., R. 7 E*

11.06 a Sugar 12 in. dia.  
 40.00 set gr. sec. part from which  
 a Elmwood 8 in. dia. bears S 43 W 16 1/2 M., dist. 8  
 a Sugar 4 " " " N 25 E 34 " "  
 70.36 a Buckeye 18 " "



T. 27 N., R. 7 E., S. 1 Mer. Ind.?

Chs. 20.

80.00 set post cor. of sec. 34 & 35 from which  
an Ironwood 8 in. dia. bears S 25° W 10 Mts. dist. 8  
a Do 8 " " " N 49° W 25 " "  
First rate land. Timber Ash, Sugar &c  
April 5. 1820 John M. Donald, D. S.

West on the S. Boundary of Sec. 34, T 28 N., R 7 E

1.20 set post on right bank of Salamanie R. from which  
a Hackberry 14 in. dia. bears N 67° E 10 Mts. dist. 8  
a Buckeye 12 " " " S 34° W 17 " "

4.14 set post on left bank of Salamanie R. from which  
an Oak 18 in. dia. bears N 45° W 25 Mts. dist. 8  
a Do 22 " " " S 24° E 38 " "

17.43 a Sugar 24 " "

40.00 set of sec. post from which  
a Walnut 12 in. dia. bears N 53° E 14 Mts. dist. 8  
a Sugar 18 " " " S 71° W 16 " "

49.98 a Sugar 24 " "

80.00 set post cor. of sec. 33 & 34 from which  
a Buckeye 12 in. dia. bears N 49° W 8 Mts. dist. 8  
an Ironwood 12 " " " N 30° E 30 " "  
All river bottom & 1<sup>st</sup> rate

West on the S. Boundary of Sec. 33, T 28 N., R 7 E

16.70 a Buckeye 24 in. dia.

33.15 Intersect left bank of Wabash River 32 Mts. N.  
of the old line, set post from which  
a Sycamore 30 in. dia. bears S 46° E 87 Mts. dist. 8  
an Elm 40 " " " S 88° E 86 " "

(Description of land &c omitted) June 2. 1839  
Chauncy Carter, Dep. Surv.

East on the S. Boundary of Sec. 31, T 28 N., R 7 E

24.31 a Beech 18 in. dia. Var. 6° 15' E.

27.49 set of sec. post from which  
a Sugar 24 in. dia. bears North 2 Mts. dist. 8



*T. 27 N., R. 7 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>*

*Ch. Ch.*  
 a Sugar 18 in. dia. bears N 85 E 15 Ws. dist.  
 [The post actually stands at 30.27 Ch. or 2.78 Chs. East of the gr. sec. corner]  
 55.88 a Beech 16 in. dia.  
 67.49 set post cor. of sec. 31 & 32 from which  
 a Beech 14 in. dia. bears S 84 E 22 Ws. dist. 3  
 a Dr 10 " " " N 70 W 14 " "

*East on the S. Boundary of Sec. 32, T 28 N, R 7 E*

24.48 a Beech 18 in. dia.  
 40.00 set gr. sec. post from which  
 a Beech 8 in. dia. bears N 87 W 34 Ws. dist. 3  
 a Dr 24 " " " N 11 E 41 " "  
 [The post actually stands 2.78 Ch. East of the gr. sec. cor.]  
 61.92 a Stream 30 Ws. wide course SW  
 65.54 a Dr 20 " " " SW  
 75.16 set post on right bank of Wabash River from which  
 a B. Ash 12 in. dia. bears N 31 E 82 Ws. dist. 3  
 an Elm 12 " " " N 73 W 63 " "  
 80.00 cor. of sec. 32 & 33 in Wabash River.

*East on the S. Boundary of Sec. 33, T 28 N, R 7 E*

8.38 set post on right bank of Wabash River from which  
 a Maple 6 in. dia. bears S 21 E 15 Ws. dist. 3  
 a Dr 13 " " " N 73 W 63 " "  
 40.26 set post on right bank of Wabash R. from which  
 a Hackberry 30 in. dia. bears N 8 E 3 Ws. dist. 3  
 a Dr 17 " " " S 7 E 16 " "  
 46.42 over Wabash River to the place of Beginning 12 Ws. South of post.

*West Boundary Var. 55. Eo.*

Bearings for corner of T. 27 N, R. 6 & 7 E.  
 a Beech 19 in. dia. bears N 62 W 30 Ws. dist. 3  
 a Dr 19 " " " N 10 E 20 " "  
 South on the E. Boundary of Sec. 1, T 27 N, R 6 E.

T. 27 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chs. Chs.

34.16 a S. Ark 15 in. dia.

40.00 set of sec. post from which  
an Ironwood 7 in. dia bears N 14 W 25 W. dist. 4  
a Buckeye 8 " " S 20 W 8 " "

53.18 a Bur Oak 22 " "

70.82 set post on right bank of Wabash River from which  
a Buckeye 18 in. dia bears North 20 W. dist. 4  
a Hackberry 16 " " N 45 W 18 " "  
Land level & a little wet 2<sup>d</sup> rate. Timber Hack-  
berry & Oak. Upr. Elm & Buckeye. Oct. 27. 1827  
David Willis, Dep. Sur.

North on the E. Boundary of Sec. 36, T. 27 N., R. 6 E

14.88 a Buckeye 14 in. dia.

36.90 a Gray Ark 30 " "

40.00 set of sec. post from which  
an Elm 24 in. dia bears S 48 W 12 W. dist. 2  
a Buckeye 12 " " N 55 W 28 " "

64.40 an Elm 18 " "

80.00 set post cor. of sec. 25 & 36 from which  
an Elm 14 in. dia bears N 18 W 36 W. dist. 2  
a Beech 12 " " S 73 W 54 " "Land level & inclined to wet. Timber Beech,  
Elm, Ark, Oak & Upr. Spice, Ironwood &c.

North on the E. Boundary of Sec. 25, T. 27 N., R. 6 E

16.56 an Ironwood 6 in. dia.

28.00 an Indian Sugar camp

37.50 a Stream 3 W. wide course NE.

39.70 a Do 4 " " E

40.00 set of sec. post from which  
a Sugar 12 in. dia bears S 47 E 2 W. dist. 2  
a Do 10 " " N 12 W 19 " "

63.00 an Indian trace, NW

64.80 a Beech 16 in. dia.

74.00 a Stream 40 W. wide course NW. Road from

Chs. R. T. 27 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Mason to Wabash

80.00 set part cor. of sec. 24 & 25 from which  
a Sugar 18 in. dia. bears S 52° W 33 lks. dist. &  
a Beech 18 " " N 13° W 32 " "

Land broken by Bluffs of creek. Timber Beech,  
Sugar, Oak, Ash & Upr. Spice, Ironwood &c.

North on the E. Boundary of Sec. 24, T 27 N., R 6 E

7.35 same Stream 40 lks. wide course NE. Ascend  
steep Bluff

14.83 a Beech 20 in. dia.

40.00 set of sec. part from which

a Beech 36 in. dia. bears N 86° W 9 lks. dist. &

a Buckeye 8 " " N 47° W 59 " "

57.34 same Stream 60 lks. wide course NW

65.70 a Stream 20 lks. wide course W.

80.00 set part cor. of sec. 13 & 24 from which

a Beech 24 in. dia. bears S 42° W 29 lks. dist. &

a Do 28 " " N 64° W 79 " "

Land rolling & T. rate. Timber Beech, Sugar,  
Walnut, Elm, Ash & Upr. Spice &c.

North on the E. Boundary of Sec. 13, T 27 N., R 6 E

19.44 a Beech 12 in. dia.

40.00 set of sec. part from which

a Beech 12 in. dia. bears N 70° W 22 lks. dist. &

a Hickory 28 " " S 15° W 40 " "

58.40 a Beech 10 " "

80.00 set part cor. of sec. 12 & 13 from which

a Beech 20 in. dia. bears N 36° W 7 lks. dist. &

a Buckeye 15 " " S 49° W 53 " "

Land rolling & T. rate. Timber Beech, Sugar,  
Walnut, Buckeye, Oak & Upr. Spice &c.

North on the E. Boundary of Sec. 12, T 27 N., R 6 E.

11.50 an Ash 18 in. dia.

T. 27 N., R. 7 E. S. Mer. Ind.  
Ch. 10.

25.85 a Stream 9 lks. wide course SW

40.00 set of sec. part from which

a Sugar 22 in. dia. bears N 77° W 8 lks. dist. S

a Water Beech 6 " " S 30° W 28 " "

42.50 a Stream 15 lks. wide course W. A precipice of  
Lime stone 40 feet high facing the South, run-  
ning E & W. Offset 2.28 lks. East to pass it

50.76 a Beech 12 in. dia.

60.00 descend Bluff & enter overflowed bottom

78.90 set part on left bank of Wabash River from which

a Maple 12 in. dia. bears S 71° E 19 lks. dist. S

a Do 12 " " S 28° W 52 " "

The corresponding corner on the right bank of  
Wabash River bears N. 29° E. 5.67 lks.

(Description of land &c. omitted) May 19. 1839.

Chauncy Carter, Dep. Sur.

### Subdivision.

North between Secs. 35 & 36

13.32 a Lym 10 in. dia.

40.00 set of sec. part from which

a W. Ark 10 in. dia. bears S 72° W 17 lks. dist. S

a Beech 13 " " N 60° E 27 " "

61.55 a W. Ark 12 " "

80.00 set part cor. of Secs. 25, 26, 35 & 36 from which

a Buckeye 8 in. dia. bears S 26° W 42 lks. dist. S

a Beech 12 " " N 16° E 18 " "

Land level & rate. Timber Beech, Sugar, Lym,  
Ark, Elm, Oak, Hickory, Poplar &c. &c. Spruce,  
Prickly Ark &c.

East on Random between Secs. 25 & 36

40.00 set temp. of sec. part.

57.00 a Stream 10 lks. wide course NE

79.72 Intersect E. Boundary 157 lks. N. of part -

Land a little rolling & rate. Timber Beech,

Complete.



T. 27 N., R. 7 E. 2<sup>d</sup> Mer. Ind. 4<sup>th</sup>

Chs. 10<sup>th</sup>

Sugar, Oak, Ash, Elm, Hickory, Poplar, Cypress,  
Upr. Spice &c.

West Corrected between Sec. 25 & 26

20.02 a Beech 12 in. dia.

39.86 set of sec. post at aver. dist. from which  
a Poplar 8 in. dia. bears N 70 E 27 Ws. dist. 8  
a W. Ash 12 " " " S 69 W 30 " "

67.67 a Poplar 13 " "

79.72 to sec. cor.

North between Sec. 25 & 26

14.50 a Hickory 9 in. dia.

15.50 enter a Swamp

23.50 leave Do

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 53 W 29 Ws. dist. 8  
an Elmwood 5 " " " S 25 E 10 " "

55.71 a Beech 12 " "

80.00 set post cor. of Sec. 23, 24, 25 & 26 from which

a Beech 9 in. dia. bears S 49 W 26 Ws. dist. 8

a Do 14 " " " N 73 E 44 " "

Land level 2<sup>d</sup> rate. Timber Beech, Sugar, Ash,  
Elm, Hickory &c. Upr. Spice, P. Ash &c.

East in Random between Sec. 24 & 25

40.00 set temp. of sec. post

79.82 Intersect E. Boundary 123 Ws. N. of post -

Land rolling 2<sup>d</sup> rate. Timber Beech, Sugar,  
Ash, Elm, Hickory &c. Upr. Spice, Sugar &c.

West Corrected between Sec. 24 & 25

21.32 a Poplar 12 in. dia.

39.91 set of sec. post at aver. dist. from which

a Beech 14 in. dia. bears S 48 E 14 Ws. dist. 8

an Elmwood 8 " " " N 14 W 13 " "



T. 27 N., R. 7 E. T. Mer. Ind. a

Chas. W.

62.99 a Beech 12 in. dia.

79.82 to sec. cor.

North between Sec. 23 & 24

19.27 a Hickory 20 in. dia.

40.00 set of sec. post from which

a Beech 11 in. dia. bears S 84 W 18 W. dist. 2

a Do 10 " " " N 45 E 11 " "

46.00 a Brook 8 W. wide course N E

62.95 a Beech 12 in. dia.

80.00 set post cor. of Sec. 13, 14, 23 & 24 from which

a W. Ash 12 in. dia. bears N 85 E 7 W. dist. 3

a Beech 11 " " " N 76 W 6 " "

Land a little rolling & rate. Timber Beech, Sugar, Ash, Elm, Hickory & W. W. Spruce &.

East on Random between Sec. 13 & 24

40.00 set temp. of sec. post

80.08 Intersect. E. Boundary 94 W. S. of post -

Land a little rolling & rate. Timber Beech, Ash, Elm, Hickory, Sugar, Gum & W. W. Spruce &.

West Corrected between Sec. 13 & 24

21.57 a Beech 12 in. dia.

40.04 set of sec. post at aver. dist. from which

a Hickory 12 in. dia. bears S 39 E 19 W. dist. 3

a Do 13 " " " N 55 W 40 " "

68.19 a W. Elm 14 " "

80.08 to sec. cor. June 28. 1823

North between Sec. 13 & 14

13.93 a Maple 13 in. dia.

40.00 set of sec. post from which

a Beech 9 in. dia. bears S 2 E 35 W. dist. 3

a B. Oak 22 " " " North 2 " "

63.15 a W. Elm 12 " "

T. 27 N., R. 7 E., S. 2 Mer. Ind. 267

80.00 set post cor. of sec. 11, 12, 13 & 14 from which  
a Beech 10 in. dia. bears N 49° W 41° W, dist. 8  
a Do 18 " " " S 25° E 8 " "  
Land level 2<sup>d</sup> rate. Timber Beech, Sugar, Ash,  
Elm, Hickory, Poplar & Ulp. Spice &c.

---

East in Random between Sec. 12 & 13

40.00 set temp. of sec. post

70.50 a Brook 8 Ws. wide course N.

80.18 Intersect E. Boundary 98 Ws. N. of post—  
Land 1<sup>st</sup> half mile rolling, last half mile hilly  
& uneven 2<sup>d</sup> rate. Timber Beech, Sugar, Ash,  
Elm, Hickory & Ulp. Spice &c.

---

West Corrected between Sec. 12 & 13

18.54 a Buckeye 10 in. dia.

40.09 set of sec. post at aver. dist. from which  
a Beech 11 in. dia. bears S 44° E 20 Ws. dist. 8  
a Do 22 " " " N 13° W 36 " "

69.08 a Beech 14 " "

80.18 to sec. cor.

---

North between Sec. 11 & 12

17.97 a Beech 14 in. dia.

38.50 a Stream 8 Ws. wide course NE

40.00 set of sec. post from which  
a Beech 12 in. dia. bears N 51° W 38 Ws. dist. 8  
a Hackberry 16 " " " S 29° E 15 " "

59.10 a Beech 10 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which  
a Buckeye 10 in. dia. bears N 27° W 6 Ws. dist. 8  
a Sugar 5 " " " S 22° E 26 " "  
First half mile level, last half mile rolling  
2<sup>d</sup> rate. Timber Beech, Sugar, Ash, Elm, Oak,  
Walnut, Hickory, Gum & Ulp. Spice, Pawpaw &c.

---

*T. J. N., R. & E. L. Mer. Ind.<sup>a</sup>*  
*Chas. L. M.*

East in Random between Sec. 1 & 12

24.00 a Brook 10 lks. wide course N.

40.00 set temp. of sec. post

54.27 a B. Oak - in. dia. on left bank of Salamanca R.

66.10 a Brook 10 lks. wide course SW. Just above  
 is a cataract 12 or 15 feet perpendicular

80.00 Intersect E. Boundary 275 lks. N. of post -  
 Land rough & broken State, Timber Beech,  
 Sugar, Hackberry, Buckeye, Elm, Gum &  
 Wyr. Spice, Pawpaw &c.

---

West Connected between Sec. 1 & 12

18.30 a W. Elm 10 in. dia.

20.94 set post on right bank of Salamanca R. from which  
 a Gum 11 in. dia. bears S 48° W 17 lks. dist. S.  
 a Buckeye 10 " " " N 30° E 23 " "

24.36 set post on left bank of river from which  
 a Sugar 10 in. dia. bears N 83° E - lks. dist. S  
 a W. Walnut 10 " " " S 78° W - " "

40.30 set of sec. post from which  
 a Beech 22 in. dia. bears N 20° E 33 lks. dist. S  
 a Do 10 " " " S 33° W 39 " "

61.09 a Beech 12 " "

80.00 to Sec. cor.

---

North between Sec. 1 & 2

20.41 a Beech 18 in. dia.

35.57 set post on left bank of Salamanca R. from wh.  
 a W. Oak 11 in. dia. bears S 32° W 13 lks. dist. S  
 a Ironwood 5 " " " N 38° E 18 " "

40.00 set post on right bank of river from which  
 a Mulberry 12 in. dia. bears N 24° W 4 lks. dist. S  
 a Sycamore 40 " " " S 6° W 26 " "

66.00 a Blue Ash 8 " "

77.43 Intersect N. Boundary 35 lks. W. of post -  
 set post at intersection cor. of Sec. 1 & 2 from which

Ch. Sp. J. J. N. R. & O. J. Mer. Ind. 269

a Buckeye 11 in. dia. leans S 1 E 20 W. dirt. &  
a Hornbeam 5 " " " N 9 W 24 " "  
Land rolling, on the river rough & broken.  
Timber Beech, Sugar, Ash, Oak, Hickory, Buck-  
eye & W. Y. Spruce, Pawpaw & June 29, 1823

---

North between Sec. 34 & 35

19.40 a Beech 16 in. dia.

40.00 set of sec. post from which

a W. Elm 5 in. dia. leans S 35 E 11 W. dirt. &

a Buckeye 9 " " " N 5 W 42 " "

59.75 a Sugar 14 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

an Ironwood 5 in. dia. leans N 79 E 20 W. dirt. &

a Beech 30 " " " S 85 W 14 " "

Land level 3<sup>d</sup> rate. Timber Ash, Oak, Sugar,  
Beech & W. Y. Spruce, Ash, Ironwood &c.

---

East on Random between Sec. 26 & 35

40.00 set temp. of sec. post

80.06 Intersect N & S line 34 W. N. of post

Land level 3<sup>d</sup> rate. Timber Ash, Oak, Hickory,  
Elm, Beech & W. Y. Spruce, Pickly Ash, Spruce &c.

---

West Corrected between Sec. 26 & 35

40.03 set of sec. post at aver. dirt. from which

a Beech 11 in. dia. leans S 6 E 20 W. dirt. &

an Elm 12 " " " N 15 W 4 " "

59.04 a Beech 6 " "

80.06 to sec. cor.

---

West between Sec. 27 & 34

7.68 Intersect E. line of 34 mile Reserve, set post  
from which

a W. Maple 20 in. dia. leans N 11 E 32 W. dirt. &

a Beech 14 " " " S 67 E 47 " "



## T. 27 N., R. 7 E. 2. Mer. Ind. a.

Ch. Cr.

Land wet 2. rate

North between Sec. 26 &amp; 27

24.40 a Poplar 48 in. dia.

40.00 set of sec. post from which

a Hickory 6 in. dia. bears N 32 W 12 Ms. dist. 3

a Maple 11 " " " S 23 E 13 " "

64.81 a Beech 14 " "

80.00 set post cor. of sec. 22, 23, 26 &amp; 27 from which

a Beech 10 in. dia. bears S 33 E 10 Ms. dist. 3

a Do 14 " " " N 21 W 7 " "

Land level & wet. Timber Ash, Beech, Hickory,  
Oak, Elm, some Poplar, Sugar & Spice, Ash &c.

East on Random between Sec. 23 &amp; 26

40.00 set temp. of sec. post

80.08 Intersect N. S. line 21 Ms. N. of post -

Land level 2. rate. Timber Beech, Ash, Oak,  
Hickory, Poplar &c. W. Spice, Hornwood, Ash &c.

West Corrected between Sec. 23 &amp; 26

22.02 a Beech 14 in. dia.

40.04 set of sec. post at aver. dist. from which

a Beech 8 in. dia. bears N 49 E 11 Ms. dist. 3

a Do 14 " " " S 60 W 33 " "

58.99 a Poplar 14 " "

80.08 to sec. cor.

West between Sec. 22 &amp; 27

5.77 Intersect E. line of 34 mile Reserve, set post  
from which

a Hickory 8 in. dia. bears N 63 E 10 Ms. dist. 3

a Beech 10 " " " S 18 E 53 " "

North between Sec. 22 &amp; 23

22.48 a Beech 24 in. dia.



271

T. 27 N., R. 7 E. 2. Mer. Ind.<sup>u</sup>  
Chas. E. H.

40.00 set gr. sec. post from which  
a W. Oak 30 in. diam. bears South 11 Ws. dist. 2  
a Beech 12 " " " N 21 E 8 " "

64.19 a Poplar 18 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which  
a Beech 12 in. diam. bears S 39 W 32 Ws. dist. 2  
a W. Ash 24 " " " North 8 " "  
Land rolling 2<sup>d</sup> rate. Timber Ash, Elm, Beech,  
Poplar, Sugar & V. Upr. Spruce, Ash, Ironwood & V.

---

East on Random between Sec. 14 & 23

40.00 set temp. gr. sec. post

80.00 Intersect N. G. line 22 Ws. E. of post -

Land level good 2<sup>d</sup> rate. Timber Ash, Oak, Beech,  
Sugar, Hickory, Poplar & V. Upr. Spruce, Ash,  
Ironwood & V.

---

West Connected between Sec. 14 & 23

23.87 a Hickory 24 in. diam.

40.00 set gr. sec. post at aver. dist. from which  
a W. Elm 12 in. diam. bears N 8 E 29 Ws. dist. 2  
a Poplar 11 " " " S 24 W 16 " "

80.00 to sec. cor.

---

West between Sec. 15 & 22

3.08 Intersect E. line of 34 mile Reserve, set post  
from which

a Beech 24 in. diam. bears N 40 E 11 Ws. dist. 2  
a Buckeye 9 " " " S 45 E 47 " "  
June 28, 1823

---

North between Sec. 14 & 15

21.65 a B. Oak 48 in. diam.

34.50 a Brook 5 Ws. wide course W

40.00 set gr. sec. post from which  
a Beech 24 in. diam. bears N 74 E 33 Ws. dist. 2

J. L. N., R. & E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Elm. etc.

at N. Ash 22 in. dia. bears N 8 W 12 W. dist. 8  
 03.07 a Poplar 30 " "  
 80.00 set post cor. of sec. 10, 11, 14 & 15 from which  
 an Elm 11 in. dia. bears N 71 E 53 W. dist. 8  
 a Beech 12 " " S 64 W 10 " "  
 Land rolling & rich. Timber Ash, Elm, Sugar,  
 Beech, Oak, Poplar, Hickory & Ulp. Spice, Ash &c.

East on Random between Sec. 11 & 14

7.00 enter a Swamp  
 11.00 leave Do  
 40.00 set temp. of sec. post  
 79.60 Intersect N & S line 93 W. S. of post -  
 Land a little rolling & rather Timber Ash, Oak,  
 Sugar, Beech, Hickory & Ulp. Spice, Ash &c.

West Connected between Sec. 11 & 14

19.32 a Hickory 18 in. dia.  
 39.80 set of sec. post at aver. dist. from which  
 a Sugar 20 in. dia. bears S 20 W 13 W. dist. 12  
 an Ironwood 9 " " N 44 E 53 " "  
 64.41 at N. Ash 16 " "  
 79.60 to sec. cor.

West between Sec. 10 & 15

2.60 Intersect E. line of 34 mile Reserve, set post from  
 wh. a Beech 18 in. dia. bears West 1 W. dist. 8  
 a Do 12 " " S 79 E 15 " "

North between Sec. 10 & 11

20.68 an Elm 24 in. dia.  
 40.00 set of sec. post from which  
 a Beech 14 in. dia. bears N 7 E 10 W. dist. 8  
 a Do 10 " " S 77 W 35 " "  
 62.31 a Beech 10 " "  
 80.00 set post cor. of sec. 2, 3, 10 & 11 from which

273

T. 27 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Cm. 601

a Beech 24 in. dia. bears S 63 E 13 W. dist 2  
a Do 20 " " " N 35 W 23 " "  
Land a little rolling good 2<sup>d</sup> rate. Timber Beech,  
Ash, Sugar, Oak, Elm & Wyp. Spruce, Ash &c.

---

East on Random between Sec. 2 & 11

40.00 set temp. gr. sec. post

79.96 Intersect N. & E. line 111 W. S. of post

Land rolling & rich. Timber Sugar, Beech, Ash,  
Elm, some B. Walnut &c. No Wyp. of consequence

---

West Corrected between Sec. 2 & 11

21.17 a Sugar 24 in. dia.

39.98 set gr. sec. post at aver. dist. from which

a Gum 40 in. dia. bears S 70 E 8 W. dist 13

a Beech 8 " " " N 61 W 50 " "

58.84 a Beech 10 " "

79.96 to sec. cor.

---

West between Sec. 3 & 10

0.25 Intersect E. line of 34 mile Reserve, set post  
from which

a Beech 14 in. dia. bears N 42 E 5 W. dist 3

a Do 8 " " " S 44 E 32 " "

---

North between Sec. 2 & 3

7.45 Intersect E. line of 34 mile Reserve, set post  
from which

a Sugar 24 in. dia. bears N 62 E 10 W. dist 3

a Do 20 " " " S 62 W 4 " "

Thence measured North without blazing  
or making any marks

40.00 from cor. of sec. 2, 3, 10 & 11 measured East 1.10 Ch.

to E. line of 34 mile Reserve, set post from which

a W. Ash 30 in. dia. bears N 38 E 26 W. dist 2

a W. Oak 10 " " " S 2 E 38 " "

## T. 27 N., R. 7 E., S. 1 Mer. Ind. a

Crs. Crs.

70.50 left bank of Salamanie River

76.27 set post on right bank of Salamanie R. from wh.  
a Hackberry 10 in. dia. lean S 35 E 12 W. dist. 8  
a W. Oak 11 " " N 18 W 3 " "

79.92 Intersect N. Boundary at post -

Land rolling good Soil. Timber Beech, Ash,  
Oak, Sugar, Hickory &c. Very little Wgs.  
June 29. 1823

## Meanders of Salamanie River.

Left bank up stream. Beginning at post in  
North Boundary, thence:

Courses Crs. Crs.

Remarks.

S 15 E 8.00 In 3/4 mile Reserve (Sec. 3)

S 51 E 2.76 Intersect N. &amp; E. line betw. Sec. 2 &amp; 3 at 70.50

S 39 1/2 E 2.70 Intersect E. line of 3/4 mile Reserve, 11.25  
Crs. N. of 3/4 mile post, where stands  
a Bur Oak 30 in. dia. 300 Crs. on this course  
a Stream 10 Ws. wide

S 39 1/2 E 3.00 In Sec. 2

S 65 E 5.00 ascend high Bluff

S 53 E 12.00

S 80 E 15.00

N 78 E 17.50 at 6.25 Crs. a Stream 10 Ws. wide

" 12.00 " left Bluffs

S 70 E 9.50

S 40 E 10.00 at 3.25 Crs. a Brook 5 Ws. wide

S 62 E 10.00

S 53 1/2 E 8.38 to post in line between Sec. 1 &amp; 2

S 51 E 3.00 In Sec. 1 - at 0.75 Crs. a Stream 10 Ws. wide

S 58 E 19.00

S 44 E 3.00 at 0.25 Crs. a Stream 5 Ws. wide

S 67 E 27.50 at 17.25 " a Brook 5 " "



T. 27 N., R. 7 E., 2 <sup>d</sup> Mer. Ind.		Remarks.
Courses	Lhs. Sh.	
S 38 E	16.73	to port in line between Sec. 1 & 12
S 38 E	7.77	In Sec. 12
S 52 E	18.00	a Stream 15 lks. wide. NB. A little above on said stream is a singular cataract of 30 feet fall
S 27 E	2.50	ascend very high Bluff
S 12 E	8.50	
S 40 $\frac{1}{4}$ E	4.32	to port on E. Boundary. June 31. 1823
Right bank up stream. Commencing at port in N. Boundary, thence:		
S 18 $\frac{1}{4}$ E	3.84	In Sec. 3 - to port in line between Sec. 2 & 3
	3.65	lks. South of port on N. Boundary.
S 36 E	8.00	In Sec. 2
S 63 E	7.00	
S 53 E	9.00	
S 75 E	7.50	
N 84 E	23.00	at 19.50 lks. leave bottom, high bank
S 78 E	10.50	at 1.00 " high cliff
S 45 E	10.00	at 1.50 " leave cliff, enter Bottom
S 58 E	12.00	
S 44 $\frac{1}{4}$ E	5.54	to port in line between Sec. 1 & 2
S 50 E	5.50	In Sec. 1
S 58 E	21.50	
S 69 E	5.00	at 4.00 lks. point of an Island & a ripple
S 63 E	4.50	at 3.00 " Head of Island
S 74 E	14.00	at 0.50 " leave Bottom, high cliff
		at 13.00 " 2 small Islands.
S 38 E	21.50	at 1.00 " leave cliff & enter Bottom
S 33 E	3.25	to port in line between Sec. 1 & 12
	20.94	lks. West of corner on E. Boundary
S 39 E	7.50	In Sec. 12 - a stream runs SW



## T. 27 N., R. 7 E. 2. Mer. Ind. a

Courses	Lkrs. Lkrs.	Remarks
S62E	12.50	at 4.00 lkr. leave Bottom, high cliffs
		at 1.00 " a rapid
S43E	0.00	at 1.00 " a Spring
S37E	1.40	Intersect E. Boundary at port.
July 8. 1823. Josiah F. Polk		
Deputy Surveyor		

## South between Secs. 5 &amp; 6

9.00 a Branch 15 lkr. wide course SW  
 33.45 a Hackberry 24 in. dia.  
 36.88 set post on right bank of Wabash R. from which  
 a Hackberry 14 in. dia. bears S61E 12 lkr. dist. 8  
 a Do 18 " " " N85W 33 " "

Meanders of right bank of Wabash River.  
 Beginning at post in N. Boundary, thence:

Courses	Lkrs. Lkrs.	Remarks
N63E	22.00	In Sec. 6
N76E	13.00	
N55E	18.00	at 15.00 lkr. a Branch 8 lkr. wide
N77E	17.00	
N46E	0.00	to post in line between Secs. 5 & 6
S65E	15.00	In Sec. 5 - at 3.00 lkr. opposite small Island
N76E	7.00	
N10E	4.50	
N2E	12.00	
N47E	11.00	
N79E	7.00	
N83E	28.50	
N22E	15.00	
N62E	7.50	to post in N. Boundary.

Beginning again at post in N. Bound., thence:  
 S69E 20.00 In Sec. 4

T. 27 N., R. 7 E. 2. Mer. Ind.?

Crossed by Sec. 27

Remarks

N 72 E 7.50

N 49 E 6.00 to put in N. Boundary. April 29. 1828

Pursuant to a contract dated January 29. 1828 with and instructions from Edward Tiffin Surveyor General of the United States, I have surveyed and subdivided into sections the foregoing Township in Indiana, as described in said contract; And I certify that the foregoing are correct and true Field Notes of the lines which they purport to be, as part of said contract.

Certified 24<sup>th</sup> July 1828

John Hendricks

Deputy Surveyor.

North between Sec. 33 & 34 Var. 5. 20. E.

11.62 a Lym 7 in. dia.

33.84 a Poplar 40 , ,

40.00 set of sec. put from which

a Beech 18 in. dia. bears S 45 W 9 Ms. dist. 8

a Sugar 30 , , , S 52 E 11 , ,

52.10 a Beech 20 , ,

72.91 an Ironwood 9 in. dia.

80.00 set put cor. of sec. 27, 28, 33 & 34 from which

a Beech 28 in. dia. bears N 15 E 19 Ms. dist. 8

a W. Oak 30 , , , S 73 E 22 , ,

Land level & wet. Timber Beech, Hickory, Elm, Oak & W. Ironwood, Spruce &c

East on Raudon between Sec. 27 & 34

71.64 Intersect E. Boundary of Sec. 73 Ms. N. of put -  
First half mile rolling, last half mile level & wet,  
2<sup>nd</sup> rate, Timber Beech, Hickory, Elm, Oak, Sugar  
&c W. Ironwood &c

West Corrected between Sec. 27 & 34

T. 27 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chas. Elmer

- 8.21 a Hickory 24 in. dia.  
 28.64 a Beech 20 " "  
 31.64 set of sec. post from which  
 a Sugar 18 in. dia. leans N20°W 19 lbs. dist. 2  
 a Do 20 " " " S89°E 39 " "  
 43.87 a Poplar 14 " "  
 65.54 a Sugar 18 " "  
 71.64 to sec. cor.

North between Sec. 27 & 28

- 9.32 a Poplar 24 in. dia.  
 28.74 a Lymn 30 " "  
 40.00 set post for q. sec. cor. from which  
 a Beech 18 in. dia. leans N47°W 36 lbs. dist. 2  
 a Hickory 18 " " " S81°E 21 " "  
 54.24 a Beech 20 " "  
 68.12 a Do 20 " "  
 80.00 set post cor. of sec. 21, 22, 27 & 28 from which  
 a Beech 18 in. dia. leans N69°W 24 lbs. dist. 2  
 a Do 15 " " " N69°E 19 " "  
 Sand level & wet 2<sup>d</sup> rate. Timber Beech, Elm,  
 Hickory, Oak, Sugar, Poplar, Lymn & Upr.  
 Sumwood, Spice &c.

East on Random between Sec. 22 & 27

- 45.16 a Stream 12 lbs. wide course N.  
 73.10 Intersect E. Boundary of Section 113 lbs. N. of post -  
 Sand rolling 1<sup>st</sup> rate. Timber Beech, Sugar,  
 Ash, Walnut, Poplar. Upr. Spice &c.

West Corrected between Sec. 22 & 27

- 6.48 a Beech 14 in. dia.  
 25.54 an Ash 15 " "  
 33.10 set of sec. post from which  
 a Beech 24 in. dia. leans N80°E 20 lbs. dist. 2  
 a Do 12 " " " S6°W 33 " "

*T. 27 N., R. 7 E. S. 2 Mer. Ind. a.*  
*Ch. 18?*

47.76 an Elm 12 in. dia.

73.10 to sec. cor.

*North between Sec. 21 & 22*

10.91 a Beech 12 in. dia.

35.36 a. Do 18 " "

40.00 set off sec. post from which

a Beech 12 in. dia. bears N 8 E 40 W. dist. 3

a Do 12 " " " N 78 W 6 " "

49.58 a Lym 36 " "

66.78 a Beech 14 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a Beech 12 in. dia. bears N 59 E 18 W. dist. 3

a Do 10 " " " S 88 W 38 " "

Land level & wet 2<sup>nd</sup> rate. Timber Beech, Hickory,  
 Lym, Ash, Oak &c. Upr. Spice &c. June 29. 1859

*East on Random between Sec. 15 & 22*

14.50 a Stream 12 Ws. wide course N. of W.

74.70 Intersect E. Boundary of Section 15 5 Ws. N. of post.

Land rolling & good. Timber Beech, Sugar,  
 Ash, Elm, Oak &c. Upr. Spice &c.

*West Connected between Sec. 15 & 22*

8.53 a Beech 20 in. dia.

31.72 a Do 30 " "

34.70 set off sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 34 W 7 Ws. dist. 3

a Do 24 " " " S 26 W 41 " "

45.02 an Ash 30 " "

66.87 an Elm 5 " "

74.70 to sec. cor.

*North between Sec. 15 & 16*

0.30 a Stream 14 Ws. wide course N. of W.

16.46 an Ash 36 in. dia.



## T. 27 N., R. 7 E., S. 2 Mer. Ind. a

Chas. E. R.

33.63 a Beech 15 in. dia.

40.00 set of sec. part from which

a Beech 12 in. dia. bears N 66 E 27 W. dist. 23

a Do 20 " " " S 47 W 40 " "

54.50 a Stream 4 W. wide course E.

55.77 a W. Oak 15 in. dia.

67.00 an Ark 40 " "

80.00 set part cor. of sec. 9, 10, 15 &amp; 16 from which

a Beech 16 in. dia. bears N 72 E 23 W. dist. 23

a Do 14 " " " S 74 W 23 " "

Land rolling & good. Timber Beech, Ash, Oak  
W. Spruce, Elmwood &c.

East on Ruedem between Sec. 10 &amp; 15

16.18 a Stream 15 W. wide course N.

75.61 Intersect Co. Boundary of Section 22 W. N. of part -

Land rolling & rate. Timber Beech, Sugar,  
Ash, Poplar &c. W. Spruce, Pawpaw &c.

West Connected between Sec. 10 &amp; 15

15.89 a W. Oak 48 in. dia.

35.61 set of sec. part at cross dist. from which

a Beech 20 in. dia. bears S 77 W 14 W. dist. 23

a Do 18 " " " N 57 E 55 " "

40.08 a W. Oak 30 " "

67.67 a Beech 12 " "

75.61 to sec. cor.

North between Sec. 9 &amp; 10

7.48 an Ark 18 in. dia.

16.80 a Stream 15 W. wide course NW

30.02 a Beech 14 in. dia.

40.00 set of sec. part from which

an Ark 8 in. dia. bears S 77 E 22 W. dist. 23

a Beech 30 " " " N 12 W 30 " "

51.94 a Beech 5 " "

*T. 27 N., R. 7 E. 2. Mer. Ind. a*  
*Ch. Sk.*

72.63 a Beech 20 in. dia.

80.00 set part cor. of sec. 3, 4, 9 & 10 from which  
 a Beech 12 in. dia. bears S 20° W 26 lks. dist. &  
 a Do 18 " " " N 52° E 40 " "

Land rolling & T. rate. Timber Beech, Sugar,  
 Ash, Walnut & Ulp. Spice, Pawpaw &c.

*East on Random between Sec. 3 & 10*

77.22 Intersect E. Boundary of Section 200 lks. N. of part -  
 Land rolling & good T. rate. Timber Beech, Oak,  
 Sugar, Hickory, Ash & Ulp. Spice &c.

*West Connected between Sec. 3 & 10*

11.70 a Beech 20 in. dia.

20.64 a W. Oak 30 " "

37.22 set of sec. part at a ver. dist. from which  
 a Beech 24 in. dia. bears North 1 lks. dist. &  
 a Do 18 " " " S 72° W 18 lks. "

45.41 a Beech 24 " "

62.28 a Do 18 " "

77.22 to sec. cor.

*North between Sec. 3 & 4*

11.67 Intersect S. line of Grant N. 14, set part from wh.  
 a Beech 18 in. dia. bears N 37° E 41 lks. dist. &  
 a Hickory 8 " " " S 41° W 32 " "

*West between Sec. 4 & 9*

17.54 a Beech 20 in. dia.

30.64 a Do 12 " "

32.08 Intersect S. Boundary of Grant N. 14, set part  
 from which

a Beech 12 in. dia. bears N 77° W 13 lks. dist. &

a Do 24 " " " S 21° W 38 " "

Land rolling & good. Timber Beech, Sugar, Ash,  
 Oak & Ulp. Spice &c. January 30. 1839

*T. 27 N., R. 7 E., S. 2. Mer. Ind. a*  
*Chr. Chr.*

*North between Sec. 32 & 33*

3.78 an Elm 10 in. dia.

15.00 Road from Marion to Wabash, NW

25.07 a Stream 12 Ws. wide course W

33.87 an Elm 10 in. dia.

40.00 set of sec. post from which

a Beech 16 in. dia. bears N 87° W 23 Ws. dist 20

an Oak 28 " " " N 10° E 38 " "

50.47 a Beech 24 " "

71.02 a Do 30 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Beech 30 in. dia. bears South 35 Ws. dist 20

a Gum 30 " " " S 80° E 46 " "

Land rolling & T. rate. Timber Beech, Sugar, Ash, Walnut, Oak & - Wgs. Spice, Pawpaw &c.

*East on Random between Sec. 28 & 33*

80.06 Intersect N & S. line 17 Ws. S. of post -

West half mile rolling, East half mile level & wet. Timber Beech, Sugar, Elm, Ash, Oak & - Wgs. Spice &c.

*West Corrected between Sec. 28 & 33*

8.77 a Beech 18 in. dia.

28.33 a Do 10 " "

40.03 set of sec. post at aver. dist. from which

a Sugar 20 in. dia. bears S 58° W 10 Ws. dist 20

a Beech 12 " " " N 44° E 31 " "

60.42 a Beech 12 " "

80.06 to sec. cor.

*North between Sec. 28 & 29*

19.44 a Beech 18 in. dia.

30.56 a Sugar 24 " "

40.00 set of sec. post from which

a Buckeye 14 in. dia. bears S 46° W 27 Ws. dist. 20

*T. 27 N., R. 7 E. 2. Mer. Ind. a*  
*Chr. Sp.*

a Beech 15 in. dia. beam S 73 E 37 1/2 lbs. dirt.  
 45.00 a Stream 8 lbs. wide course NW  
 51.27 a Beech 15 in. dia.  
 71.00 an Elm 30 " "  
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
 a Buckeye 12 in. dia. beam S 77 E 21 1/2 lbs. dirt. 8  
 an Ash 24 " " " N 54 W 11 " "  
 Rolling 1<sup>st</sup> State land. Timber Beech, Sugar, Ash,  
 Elm, Oak & Ulp. Spice &c

*East on Random between Sec. 21 & 28*

80.10 Intersected N. S. line 144 lbs. N. of post—  
 West half mile rolling & good, East half mile level  
 sweet. Timber Beech, Elm, Ash, Sugar, Oak. Ulp.  
 Spice, Ironwood &c

*West Corrected between Sec. 21 & 28*

144.29 an Ash 24 in. dia.  
 30.99 a Beech 16 " "  
 40.05 set of sec. post at aver. dirt. from which  
 a Beech 14 in. dia. beam S 57 W 9 1/2 lbs. dirt. 8  
 a Do 12 " " " N 36 E 20 " "  
 52.85 a Beech 16 " "  
 72.80 a Do 8 " "  
 80.10 to sec. cor.

*North between Sec. 20 & 21*

10.23 an Ash 15 in. dia.  
 33.52 a Hickory 20 " "  
 40.00 set of sec. post from which  
 a Beech 18 in. dia. beam N 47 E 10 1/2 lbs. dirt. 8  
 a Do 10 " " " N 61 W 6 " "  
 55.50 a Beech 5 " "  
 70.24 a Do 14 " "  
 80.00 set post cor. of sec. 16, 17, 20 & 21 from which  
 a Beech 12 in. dia. beam S 12 W 11 1/2 lbs. dirt. 8



T. 27 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chas. Cr.

a Beech 24 in. dia. bears N 50 E 37 W. dist.  
 Land level & rate. Timber Beech, Hickory,  
 Elm, Ash, Oak & V. W. Spice, Ironwood &c.  
 July 1. 1839

East in Handum between Sec. 16 & 21

41.00 a Stream 8 Ws. wide course NW

80.22 Intersect N & S line 14 Ws. S. of point -

Land rolling & good. Timber Beech, Sugar,  
 Poplar, Ash, Oak & V. W. Spice &c.

West Corrected between Sec. 16 & 21

11.00 a Beech 8 in. dia.

28.56 a Sugar 28 " "

40.11 set of sec. point from which

a Beech 16 in. dia. bears N 89 E 22 W. dist. 9

a Do 12 " " " N 49 W 20 " "

53.97 a Beech 16 " "

70.76 a Do 18 " "

80.22 to sec. cor.

North between Sec. 16 & 17

14.73 a Beech 18 in. dia.

32.44 a Do 6 " "

40.00 set of sec. point from which

a Beech 16 in. dia. bears N 30 W 26 W. dist. 8

a Hickory 40 " " " N 45 E 1 " "

47.06 a Beech 18 " "

64.45 a Stream 30 Ws. wide course W

69.44 an Ironwood 6 in. dia.

80.00 set point cor. of sec. 8, 9, 16 & 17 from which

a Beech 14 in. dia. bears S 51 E 33 W. dist. 9

an Elm 24 " " " S 42 W 27 " "

Land rolling & rate. Timber Beech, Sugar,  
 Ash, Walnut, Elm & V. W. Spice, Poplar &c.

Ch. Sk. T. 27 N., R. 7 E. 2. Mer. Ind. a

East in Random between Sec. 9 & 16

80.10 Intersect N. & S. line 25 Ws. N. of post —  
Land rolling & good. Timber Beech, Sugar,  
Ash, Elm, Oak &c. Wgs. Spice &c.

West Corrected between Sec. 9 & 16

7.40 a Beech 30 in. dia.

25.50 a Do 18 " "

37.21 a Do 5 " "

40.05 set of sec. post at aver. dist. from which  
a Beech 12 in. dia. bears N 12 E 28 Ws. dist 3  
a Do 8 " " " S 4 E 5 " "

50.38 a Beech 18 " "

62.08 a Do 16 " "

80.10 to sec. cor.

North between Sec. 8 & 9

13.19 a Beech 18 in. dia.

37.67 a Cherry 4 " "

40.00 set of sec. post from which  
an Elm 8 in. dia. bears South 7 Ws. dist 3  
a Beech 16 " " " N 55 W 13 " "

51.00 a Stream 15 Ws. wide course NW

53.01 an Ironwood 4 in. dia.

61.91 Intersect S. Boundary of Grant N. 14, set post  
from which

a Beech 18 in. dia. bears S 66 E 9 Ws. dist 3

a Do 14 " " " N 72 W 45 " "

Measured along South Boundary of Grant N. 14  
S 70 1/4 W. 75.57 Chs. to the S.W. corner of S. 1 Grant  
Land rolling 2<sup>nd</sup> rate. Timber Beech, Elm,  
Sugar, Ash, Oak &c. Wgs. Spice, Haw, Ironwood

West between Sec. 29 & 32

8.56 an Elm 15 in. dia.

23.00 Road from Marion to Nabash

T. 27 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chp. Chp.

26.04 a Sugar 30 in. dia.

40.00 set of sec. part from which

a Beech 20 in. dia. bears N 21 E 11 W. dist. 2,

a Do 14 " " " S 11 E 9 " "

45.06 an Elm 28 " "

56.67 a Do 36 " "

70.29 Intersect E. Boundary of Grant N. 21, set part from which

an Elm 12 in. dia. bears N 77 E 15 W. dist. 3,

a Walnut 10 " " " S 40 W - " "

Measured along E. Boundary of Grant N. 21,

South 7.73 Ch. to the S E. corner of said Grant.

Rolling &amp; good. Timber Beech, Sugar, Elm,

Ash &amp;c. Upr. Spice &amp;c.

West on true line between Sec. 20 &amp; 29

14.11 a Beech 12 in. dia.

28.35 a Spruce 30 " "

40.00 set of sec. part from which

a Beech 12 in. dia. bears S 86 W 23 W. dist. 2,

an Elm 10 " " " S 23 E 21 " "

48.69 a Beech 18 " "

68.81 a W. Oak 36 " "

80.00 set part cor. of sec. 19, 20, 29 &amp; 30 from which

a Beech 16 in. dia. bears S 21 E 17 W. dist. 2,

a Buckeye 10 " " " N 53 W 21 " "

Land rolling &amp; good. Timber Beech, Sugar,

Elm, Ash, Walnut, Oak &amp;c. Upr. Spice &amp;c.

July 2. 1839

South between Sec. 29 &amp; 30

7.70 to N. Boundary of Grant N. 21, set part from which

a Beech 14 in. dia. bears S 65 W 11 W. dist. 2,

a Do 24 " " " S 61 E 31 " "

Measured on N. Boundary of said Grant, East

Chas. Ek. J. L. N. R. & E. L. Mer. Ind. Co.

287

9.72 Chs. to the N.E. corner thereof.

---

West between Sec. 19 & 30

11.91 a Beech 6 in. dia.

31.93 a Do 9 " "

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 75 E 32 Ws. dist 8,

a Do 12 " " " S 2 W 25 " "

45.80 a Beech 24 " "

59.00 a Do 18 " "

70.35 Intersect W. Boundary 31 Ws. E. of post -

set post at intersection cor. of sec. 19 & 30 from which

an Elm 12 in. dia. bears N 64 E 21 Ws. dist 8,

an Ash 18 " " " S 55 W 32 " "

Measured along W. Boundary South 7.82 Chs.

to the NW. corner of Grant 21

Land rolling & good. Timber Beech, Sugar,  
Elm, Ash, Walnut & V. Uls. Spice &c.

---

North between Sec. 19 & 20

8.50 a Beech 18 in. dia.

31.82 a Do 12 " "

40.00 set of sec. post from which

a Beech 16 in. dia. bears S 7 E 13 Ws. dist 8,

a Do 10 " " " S 89 E 28 " "

52.67 a Beech 18 " "

66.69 a Sugar 18 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

a Beech 18 in. dia. bears N 38 E - Ws. dist 8,

a Do 18 " " " S 22 E - " "

Land rolling & good. Timber Beech, Sugar, Ash,  
Walnut, Oak & V. Uls. Spice &c.

---

East on Random between Sec. 17 & 20

80.08 Intersect N. Line 16 Ws. N. of post -

Land rolling & rate. Timber Beech, Elm,



T. 27 N., R. 7 E., S. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 6th. Sec.

Sugar, Oak, Ash &c. Upr. Spruce, Juniper &c.

West Connected between Sec. 17 & 20

21.43 an Juniper 8 in. dia.

31.35 a Beech 16 " "

40.04 set of sec. part at aver. dist. from which  
 a Beech 7 in. dia. bears N 8 E 10 W. dist. 25  
 a Do 14 " " " S 25 W 15 " "

54.48 a Beech 24 " "

73.14 a Beech 16 " "

80.08 to sec. cor.

West on true line between Sec. 18 & 19

13.07 an Ash 20 in. dia.

30.77 a Beech 18 " "

40.00 set of sec. part from which  
 a Beech 14 in. dia. bears N 19 W 4 W. dist. 25  
 a Do 12 " " " S 33 W 41 " "

51.85 an Oak 30 " "

55.00 a stream 4 W. wide course NW

03.77 a Beech 14 in. dia.

70.11 Intersect W. Boundary 2 W. E. of part -  
 set part at intersection cu. of sec. 18 & 19 from which  
 a Beech 24 in. dia. bears S 33 E 25 W. dist. 25  
 a Sugar 36 " " " N 61 E 37 " "  
 Good rolling Tract. Timber Beech, Sugar,  
 Walnut, Ash &c. Upr. Spruce, Pawpaw &c.

North between Sec. 17 & 18

14.89 a Beech 28 in. dia.

34.86 a Do 24 " "

40.00 set of sec. part from which  
 a Beech 16 in. dia. bears S 44 E 15 W. dist. 25  
 a Sugar 18 " " " N 26 W 36 " "

48.90 a stream 7 W. wide course NW

51.89 an Oak 30 in. dia.

Comp.

T. 27 N., R. 7 E. 2. Mer. Ind.?

Ch. 1839

71.97 a Beech 14 in. dia.

80.00 set part cor. of sec. 7, 8, 17 & 18 from which  
a Sugar 20 in. dia. bears N 64 E 13 W. dist. 8  
a Beech 10 " " " S 60 W 13 " "

Land selling good. Timber Beech, Sugar, Ash,  
Walnut, Oak & V. Upr. Spice &c.

East on Random between Sec. 8 & 17

63.50 a Stream 15 Ws. wide course N. of W.

80.44 Intersect N. S. line 6 Ws. N. of part -

Land broken & poor. Timber Beech, Oak, Elm  
&c. Upr. Gumwood, Dogwood &c.

West Corrected between Sec. 8 & 17

11.53 a Sugar 18 in. dia.

29.58 an Gumwood 5 " "

40.22 set of sec. part at aver. dist. from which  
a Beech 18 in. dia. bears S 74 E 4 W. dist. 8  
a Buckeye 20 " " " N 68 W 17 " "

51.78 a Beech 16 " "

80.44 to sec. cor. July 3. 1839

West on true line between Sec. 7 & 18

13.38 a Beech 28 in. dia.

33.91 a Do 15 " "

40.00 set of sec. part from which  
a Sugar 18 in. dia. bears S 84 E 21 W. dist. 8  
a Do 18 " " " N 67 W 26 " "

51.93 a Beech 14 " "

55.00 a Stream 8 Ws. wide course NW

63.11 an Gumwood 5 in. dia.

70.23 Intersect W. Boundary 33 Ws. N. of part -

set part at intersection cor. of sec. 7 & 18 from which  
a Sugar 24 in. dia. bears N 66 E 12 W. dist. 8  
a Beech 20 " " " S 67 E 65 " "

Measured along W. Boundary North 16.52 Ch.

T. 27 N., R. 7 E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

Chm. Cr.

to the SW. corner of Grant N.<sup>o</sup> 16.  
Land rolling T.<sup>h</sup> rate. Timber Beech, Sugar,  
Walnut, Ash &c. Upr. Spice &c.

North between Sec. 7 & 8

7. 25 a Stream 18 Mts. wide course NW

10. 27 Intersect S. Boundary of Grant N.<sup>o</sup> 15, set part  
from which

a Beech 14 in. dia. leans N 43° W 10 Mts. dist. 8

a W. Oak 36 " " " N 50° E 20 " "

Measured along S. Boundary of Grant N.<sup>o</sup> 15,  
East of 42 Chs. to the SE. corner of the same  
July 4. 1839

I hereby certify that in pursuance of a con-  
tract with E. S. Haines, Surveyor General of  
the United States for the States of Ohio, Indiana  
and Michigan, bearing date the 20.<sup>th</sup> day of April  
1839, and in strict conformity to the laws of the  
United States and the Instructions of the said Sur-  
veyor General, I have surveyed and subdivided  
into sections Township N.<sup>o</sup> 27 North in Range  
N.<sup>o</sup> 7 East of the 2.<sup>d</sup> Principal Meridian in the  
State of Indiana; And I do further certify  
that the foregoing are the original Field  
Notes thereof, executed as aforesaid.

Certified this 4.<sup>th</sup> day of July 1839.

Chauncy Carter

Deputy Surveyor

J. M. P. Hand }  
E. M. Miller } Chairmen  
J. M. Keep, Marker

T. 27 N., R. 7 E. 2.<sup>o</sup> Mer. Ind.<sup>a</sup> 291

I certify that the foregoing transcript of  
Field Notes of the survey of Township 27  
North, of Range 7 East of the 2.<sup>o</sup> Principal  
Meridian, in the State of Indiana, has been  
compared with the original on file in this  
office, and found to be correct.

Surveyor General's Office,  
Cincinnati, March 12. 1845 }

William Johnston  
Sur. Genl.